LISTING OF CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A circuit board having a storage device for storing data relating to a marking material for printing, said circuit board comprising:

at least two ground terminals arranged on said circuit board at two edges thereof that are located on one axis thereof; and

a plurality of terminals arranged on said circuit board, for read/write operations on said data relating to athe marking material for printing, said plurality of terminals including a power supply terminal and a control signal terminal.

wherein said at least two ground terminals are not the terminals in closest proximity to said power supply terminal.

- 2. (Original) A circuit board according to claim 1 wherein said plurality of terminals and said ground terminals are arranged in a single row, with two of said at least two ground terminals being located at the outermost ends of said row.
- 3. (Original) A circuit board according to claim 1 wherein said plurality of terminals are arranged to form a plurality of rows, with two of said at least two ground terminals being located at the outermost ends of one of said plurality of rows.
 - 4. (Previously Presented) A circuit board according to claim 3 wherein said

plurality of terminals include a clock signal terminal, said clock signal terminal being located between two of said at least two ground terminals.

5. (Previously Presented) A circuit board according to claim 3 wherein said plurality of terminals include a power supply terminal, two of said at least two ground terminals being located at the outermost ends of a row different than the row that contains said power supply terminal.

6. (Cancelled)

- 7. (Original) A circuit board according to any one of claims 3-5, wherein said plurality of terminals are arranged at intervals of approximately 1 mm in the direction of formation of said rows.
- 8. (Currently Amended) A circuit board comprising a storage device for storing data relating to a marking material for printing, said board provided to a marking material for a print cartridge having a substantially rectangular shape, wherein said circuit board comprises:

two ground terminals arranged on said circuit board at two edges thereof along one side thereof; and

a plurality of terminals arranged parallel to one side of said circuit board, and used for storing said data, said plurality of terminals including a power supply terminal and a control signal terminal.

Appln. No. 10/634,428 Amendment filed April 25, 2005 Reply to Office Action dated March 15, 2005

wherein said ground terminals are not the terminals in closest proximity to said

power supply terminal.

9. (Previously Presented) A circuit board according to claim 8 wherein said

plurality of terminals form a plurality of rows parallel to one side of said circuit board, and

said two ground terminals are arranged at the outermost ends of one of said

plurality of rows.

10. (Original) A circuit board according to claim 9 wherein said plurality of

terminals include a clock signal terminal, a control signal terminal, and a power supply terminal,

said two ground terminals being located at the outermost ends of a row that is different from the

row that includes said power supply terminal, and that includes said clock signal terminal.

Page 4 of 8